




Pre-Calculus 12

Final Exam M

Mock Exam

Frances Kelsey Secondary



Student Instructions

- 1. Put your student number and name in the allotted spaces above.
- 2. Ensure that in addition to this examination booklet, you have an **Examination Response** Form.
- 3. **Disqualification** from the examination will result if you bring books, paper, notes or unauthorized electronic devices into the examination room.
- 4. When you open this booklet, check the **number of the pages** to ensure they are number in sequence from page one to the last page..
- 5. At the end of the examination, place your Response Form inside the front cover of this booklet and return the booklet and your Response Form to the supervisor.

PRE-CALCULUS 12 FINAL EXAMINATION

This Examin	ATION CONSISTS OF TWO PARTS.		VALUE	SUGGESTED Time
PART A:	25 MULTIPLE-CHOICE QUESTIONS		25	45
PART B:	7 WRITTEN RESPONSE QUESTIONS		35	45
		TOTAL	60	90 MINUTES

Part AMultiple ChoiceAll questions in this part are worth 1 marks each. (Total 25 marks)
***USE SCANTRON CARD

- **1.** The point (9, -12) is on the graph of a function. What will the coordinates of this point be after all of the following transformations.
 - horizontal expansion by a factor of 3
 - reflection in the *x*-axis
 - vertical translation of 5 downward
- **A** (-27,7) **B** (3,7) **C** (27,7) **D** (-3,7)
- **2.** Determine an equation of the inverse of f(x) = 2x + 6.

A
$$f^{-1}(x) = \frac{1}{2}x - 3$$
 B $f^{-1}(x) = \frac{1}{2x + 6}$ **C** $f^{-1}(x) = -2x - 6$ **D** $f^{-1}(x) = \frac{1}{2}x + \frac{1}{6}$


3. Which value is NOT a zero of $P(x) = x^3 + 3x^2 - x - 3$?



4. Determine the value of k if the remainder is 2 for $(4x^3 - kx^2 + 2x + 1) \div (x - 1)$

A 5 **B** 9 **C** -7 **D** 1

5. If *a*, *b*, *c*, *d*, and *g* are real numbers and *a* > 0, which equation could be represented by the curve below?




A
$$\log \frac{1}{c^3}$$
 D $\log \frac{1}{b^2 c^3}$ **C** $\log \frac{1}{6bc}$ **D** $\log \frac{1}{3c}$

- 8. Give the domain of $f(x) = \log_7(x+6) + 12$
- **A** x > 6 **B** x > -6 **C** x > 12 **D** x > -12

9. The 4th term of a geometric sequence is 250 and the 7th term is -16. Determine the 10th term.


A
$$-\frac{2}{5}$$
 B $\frac{2}{5}$ C $-\frac{128}{125}$ D $\frac{128}{125}$
10. Evaluate
 $\sum_{k=3}^{12} 32\left(-\frac{1}{2}\right)^k$
A -2.66 B -21.31 C 2.67 D 21.35
11. If $f(x) = x^2 - 16$ and $g(x) = x + 4$, find the domain of $\frac{f}{g}(x)$.
A $x \in R, x \neq 0$ B $x \in R, x \neq 4$ C $x \in R, x \neq -4$ D $x \in R$
12. If $h(x) = x^2$ and $g(x) = 3x^2 - 1$ find the equation for $(hg)(x)$.

A $(3x^2-1)^2$ **B** $3x^4-1$ **C** $3x^4-x^2$ **D** $9x^4+1$



\mathbf{A} 2π \mathbf{B} 3π	\mathbf{C} 4π	D	6π
---	---------------------	---	----


16. Which function is NOT an equation for the following graph.



17. Which expression is equivalent to $sin(\pi + 2x)$?

A
$$2\cos^2 x - 1$$
 B $1 - 2\cos^2 x$ C $2\sin x \cos x$ D $-2\sin x \cos x$
18. Write the expression $\frac{2\tan(8x)}{1 - \tan^2(8x)}$?
A $\tan(16x)$ B $2\tan(16x)$ C $2\tan(8x)$ D $\tan(8x)$

19. Solve $2 \sin x - 2 = 0$ exactly, $0^{\circ} \le x < 360^{\circ}$.




8

23. What is the range of the graph $y = \cos x$.

A
$$-1 \le y \le 1$$
 B $0 \le y \le 2\pi$ **C** $-2\pi \le y \le 2\pi$ **D** $y \in R$


24. Write as a single trigonometric function: $6 - 12sin^2(4x)$.






 Part B
 Written Response
 Please show all working for full credit. All questions in this part are worth 5 marks each.

- 1. The graph of y = f(x) is shown below by the line.
 - a) Graph $y + 3 = -f\left(\frac{1}{2}x 5\right)$ on the same grid.



b) Graph $y = f^{-1}(x)$ on the grid provided.




3

 $\overline{2}$

2. A radioactive substance has a half-life of 17 days. How long will it take for 300 g of this substance to decay to 95 g?

(Solve algebraically using logarithms. Answer accurate to 2 decimal places)

3. Write a polynomial equation for the given graph.



Please show all working for full credit. All questions in this part are worth 5 marks each. Part B Written Response

- 4. Given: series 2 + 8 + 14 + 20 + 26 + 32
 - a) Write in sigma notation.b) Find its sum.

ANSWER: a)			
b)			

5. A Ferris wheel has a radius of 10 m and its 2 m above the ground. It rotates once every 40 seconds. If Jet gets on this ride at the lowest point determine the height in metres, when Jet has been on the ride for 8 seconds.

Part BWritten ResponsePlease show all working for full credit. All questions in this part are worth 5
marks each.

6. a) Solve the following equation algebraically giving exact values where possible.

 $2sin^2x + 5sinx - 3 = 0, 0 \le x < 2\pi$

6a.

b) Find the solution to the above equation in over the real numbers.

6b.

7. **Prove the identity:**

$$-\sec x + \tan x = \frac{\cos x}{1 - \sin x}$$

LEFT SIDE	RIGHT SIDE